TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island Light Station MONTH OF January

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
	1800		110	32	8300		
RECEIVED	1400		100	00	2400		
EXPENDED	640		10	2	2300		
REMAINING	2560		200	30	8400		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

		RADIO BEACON		
	FOG SIGNAL	LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	NONE HR.	HR.	HR.	HR.
TOTAL THIS MONTH	23:00 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	23:00 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED ________ DAYS LOST ________ ACCIDENTAL DAMAGE TO PROPERTY, $________

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16--63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 1 January 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.11	-	30	BC	—	—	8	—	—
0400	NNW	2	30.16	-	31	BC	—	—	8	—	—
0800	NNW	2	30.20	-	36	BC	—	—	8	—	—
1200	NNW	2	30.22	-	44	BC	—	—	8	—	—
1600	NNW	2	30.26	-	45	BC	—	—	8	—	—
2000	NNW	2	30.29	-	40	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	1815	32	8300
RECEIVED			
EXPENDED	15	-	100
REMAINING	1800	32	8200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
AH		
PRESENT	1	

MAIN LIGHT Time Extinguished 0729 Time Lighted 1610

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		0	06	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis AIN
0729 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Continue work
1600 - Secured fur day
1610 - Main light in operation
1625 - Sunset Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Sta.

DATE Saturday 2 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.30	—	30	Bc	—	—	8	—	—
0400	WNW	1	30.32	—	31	Bc	—	—	8	—	—
0800	WNW	1	30.34	-	34	Bc	—	—	8	—	—
1200	WNW	2	30.30	-	42	Bc	—	—	8	—	—
1600	WNW	2	30.21	—	45	Bc	—	—	8	—	—
2000	WNW	2	30.13	—	40	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1800	32	8200
EXPENDED	10	-	200
REMAINING	1790	32	8000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1612

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		—	—	
TOTAL FOR MONTH		0	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- Checked all vis. AtN

0400- Checked all vis. AtN

0728- Secured main light

0800- Colors, turn to

1030- Richardson, D. J. SN, returned from liberty

1200- Chow

1300- Continue work

1600- Secured for day

1612- Main light in operation

1627- Sunset, Evening colors

2000- Checked all vis. AtN

CERTIFIED TO BE CORRECT

Robert E. Pearson BM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 3 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	wnw	3	30.06	–	33	O	–	–	7	–	–
0400	wnw	4	29.85	–	35	O-R	–	–	7	–	–
0800	wnw	5	29.50	–	40	O-R	–	–	7	–	–
1200	wnw	5	29:30	–	47	O-R	–	–	8	–	–
1600	wnw	5	29:40	–	43	O-R	–	–	7	–	–
2000	wnw	4	29.52	–	39	O	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1790	32	8000
EXPENDED	20	–	100
REMAINING	1770	32	7900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1612

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		0	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vic. AtN

0400 - Checked all vic. AtN

0728 - Secured main light

0800 - Colors, turned to routine clean up

1000 - Observed Sabbath

Holiday Routine

1200 - Chow

1612 - Main light in operation

1627 - Sunset, Evening colors

2000 - Checked all vic. AtN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 4 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WNW	3	29.67	-	30	Bc	-	-	8	-	-
0400	WNW	3	29.79	-	32	Bc	-	-	8	-	-
0800	W	2	29.91	-	39	Bc	-	-	8	-	-
1200	W	2	29.93	-	37	Bc	-	-	8	-	-
1600	W	2	29.96	-	35	Bc	-	-	8	-	-
2000	W	2	29.99	-	30	Bc	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	1770	32	7900
RECEIVED			
EXPENDED	20	-	200
REMAINING	1750	32	7700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, ~~AWL, AOL~~	1	
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1613

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		1	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1300 TIME STOP 1400

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AtN
0400 - Checked all vis. AtN
0728 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - turn to - tested fog signal
1400 - Secured fog signal test
1600 - Secured for day
1613 - Main light in operation
1628 - Sunset, Evening colors
2000 - Checked all vis. AtN

CERTIFIED TO BE CORRECT

Robert C. Pearson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday Jan 5, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WSW	2	30.02	-	29	BC	-	-	8	-	-
0400	WSW	2	30.05	-	28	BC	-	-	8	-	-
0800	WSW	2	30.07	-	32	BC	-	-	8	-	-
1200	SW	3	30.08	-	38	BC	-	-	8	-	-
1600	S	3	30.09	-	33	BC	-	-	8	-	-
2000	S	2	30.10	-	29	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	1750	32	7700
RECEIVED			
EXPENDED	20	-	100
REMAINING	1730	32	7600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1648

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		-		
TOTAL FOR MONTH		1	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400. Checked all vis. AIN

0728 - Secured main light

0800 - Colors turn to

0850 - Martel, Joseph W. returned having used 5 days regular leave

1200 - Chow - Received 100 gals white gas.

1300 - Drill period - Fire drill

1345 - Secured drill period, continue work

1600 - Secured for day

1614 - Main light in operation

1629 - Sunset Evening colors.

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 6 Jan 1959 (Insert day of week, day, month, year) LOCATION Newport R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	30.11	–	24	BC	–	–	8	–	–
0400	CAlm		30.11	–	29	BC	–	–	8	–	–
0800	CAlm		30.13	–	37	BC	–	–	8	–	–
1200	SW	3	30.15	–	40	Bc	–	–	8	–	–
1600	SW	3	30.11	–	36	BC	–	–	8	–	–
2000	SW	3	30.07	–	30	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1730	32	7600
EXPENDED	20	1	100
REMAINING	1710	31	7500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1616

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		1	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0728 - Secured main light.

0800 - Colors, turn to.

1200 - Chow

1300 - Drill period, Resuscitation, First aid

1400 - Secured drill period, continue work

1600 - Secured for day, held clothing inspection

1616 - Main light in operation

1631 - Sunset, Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 7 Jan. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	W	3	30.00	—	25	c	—	—	8	—	—
0400	W	2	29.95	-	27	c	—	—	8	—	—
0800	W	2	29.90	-	33	c	—	—	8	—	—
1200	W	2	29.89	-	36	c	—	-	8	—	—
1600	W	2	29.84	-	33	c	—	-	8	—	—
2000	W	3	29.81	-	30	c	—	-	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1710	31	7500
EXPENDED	10	-	50
REMAINING	1700	31	7450

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1617

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1500	1530		30	
TOTAL FOR DAY			30	
TOTAL FOR MONTH		1	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 1500 TIME STOP 1530

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all-vis. A/N

0400 - Checked all vis A/N

0728 - Secured main light

0800 - Colors, turn to, inventoryed plant property.

1200 - Chow, Richardson, SN, departed on liberty.

1300 - Drill period, Damage control

1345 - Secured drill period, continue work

1500 - tested fog signal

1530 - Secured fog signal test

1600 - Secured for day

1617 - Main light in operation

1632 - Sunset, Evening colors.

2000 - Checked All vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 8 Jan 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	29.79	-	24	Bc	-	-	8	-	-
0400	SW	3	29.74	-	27	Bc	-	-	8	-	-
0800	SW	3	29.70	-	36	Bc	-	-	8	-	-
1200	SW	3	29.68	-	40	Bc	-	-	8	-	-
1600	SW	3	29.65	-	38	Bc	-	-	8	-	-
2000	SW	3	29.60	-	33	Bc	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1700	31	7450
EXPENDED	20	-	100
REMAINING	1680	31	7350

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0728 Time Lighted 1617

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		-	-	
TOTAL FOR MONTH		1	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis A/N
0728 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period. ABC Drill.
1345 - Secured drill, continue work.
1600 - Secured for day
1617 - Main light in operation
1632 - Sunset, Evening colors
2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 9 Jan. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	29.62	–	25	BC	–	–	8	–	–
0400	WNW	3	29.65	–	28	BC	–	–	8	–	–
0800	WNW	3	29.70	–	30	c	–	–	8	–	–
1200	NW	3	29.73	–	31	c	–	–	8	–	–
1600	NW	3	29.78	–	25	c	–	–	7	–	–
2000	N	2	29.84	–	20	o	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1680	31	7350
EXPENDED	20	–	50
REMAINING	1660	31	7300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1619

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		1	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- Checked all vis AIN

0400- Checked all vis. AIN

0727- Secured main light

0800- Colors- turn to

1200- Chow, Richardson, SN, returned to unit.

1300- turn to, Safety Instruction

1600- Secured for day

1619- Main light in operation

1634- Sunset, Evening colors

2000- Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 10 Jan 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.90	–	14	o-s	–	–	7	–	–
0400	N	2	29.95	–	17	o-s	–	–	7	–	–
0800	N	2	30.02	–	19	o-s	–	–	7	–	–
1200	N	2	30.09	–	20	o	–	–	8	–	–
1600	N	2	30.10	–	18	o-s	–	–	8	–	–
2000	N	2	30.11	–	19	o-s	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1660	31	7300
EXPENDED	20	–	50
REMAINING	1640	31	7250

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0727 Time Lighted 1619

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0900	1145	2	45	
2330	–		30	
TOTAL FOR DAY		3	15	
TOTAL FOR MONTH		4	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0727 - Secured main light
0800 - Colors, Routine clean up
0900 - Fog signal, main light in operation
1000 - Observed Sabbath, Holiday Routine
1145 - Secured fog signal, main light
1200 - Chow
1619 - Main light in operation
1634 - Sunset Evening colors
2000 - Checked all vis. AIN
2230 - Units boiler inoperative, personnel unable to repair
2330 - Fog signal in operation

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 11 Jan 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	~~NNW~~ NNW	3	30.11	–	8	C-S	–	–	8	–	–
0400	~~NNW~~ NNW	3	30.11	–	10	C	–	–	8	–	–
0800	NNW	3	30.11	–	19	C	–	–	8	–	–
1200	NNW	3	30.12	–	24	C	–	–	8	–	–
1600	NW	3	30.14	–	20	C	–	–	8	–	–
2000	NW	3	30.15	–	18	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1640	31	7250
EXPENDED	20	–	50
REMAINING	1620	31	7200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0726 Time Lighted 1620

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
–	0100	1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		5	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0100 - Secured fog signal
0700 - Checked all vis. AIN
0726 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Continue work, repairing station boiler
1600 - Secured for day, boiler operating properly
1616 - Main light in operation
1631 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 12 Jan. 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	3	30.16	-	15	BC	-	-	8	-	-
0400	NW	2	30.17	-	20	BC	-	-	8	-	-
0800	NNW	2	30.19	-	39	BC	-	-	8	-	-
1200	NNW	2	30.20	-	53	BC	-	-	8	-	-
1600	N	2	30.18	-	48	C	-	-	8	-	-
2000	NE	2	30.12	-	36	C	-	-	7	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1620	31	7200
EXPENDED	20	-	50
REMAINING	1600	31	7150

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0726 Time Lighted 1621

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY		-	-	
TOTAL FOR MONTH		5	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- Checked all vis. AIN

0400- Checked all vis. AIN

0826- Secured main light

0800- Colors, turn to

1045- Gr. Comdr. arrived for inspection

1130- Gr. Comdr. departed unit

1200- Chow

1300- Drill period, Safety instr.

1400- Secure drill, continue work

1600- tested emerg. generator.
Secured for day

1621- Main light in operation

1636- Sunset, Evening colors

2000- Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 13 Jan 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	2	30.00	-	20	0-S	-	-	7	-	-
0400	SSE	1	29.93	-	22	0-S	-	-	7	-	-
0800	SSE	1	29.86	-	29	0-S-f	-	-	3	-	-
1200	SSE	2	29.85	-	33	0-S-f	-	-	3	-	-
1600	SSE	2	29.83	-	30	0-S	-	-	7	-	-
2000	ESE	2	99.80	-	25	0	-	-	7	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1600	31	7150
EXPENDED	30	-	50
REMAINING	1570	31	7100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0900 Time Lighted 1622

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0500	0900	4	00	
1100	1230	1	30	
1400	1530	1	30	
TOTAL FOR DAY		7	00	
TOTAL FOR MONTH		12	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0500 - Fog signal in operation

0800 - Checked all vis. AIN, Colors, Turn to

0900 - Secured fog signal, main light. Began repair work on emerg. generator

1100 - Fog signal, main light in operation

1200 - Chow, emerg. generator water coils on head.

1230 - Secured fog signal, main light

1300 - Drill period, Fire Drill

1400 - Secured drill, Fog signal main light in operation

1530 - Secured fog signal, main light

1600 - Secured for day

1622 - Main light in operation

1637 - Sunset Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 14 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	2	29.84	-	20	c	-	-	7	-	-
0400	ENE	2	29.88	-	25	c	-	-	7	-	-
0800	NE	1	29.92	-	39	Bc	-	-	8	-	-
1200	NE	1	29.95	-	44	Bc	-	-	8	-	-
1600	NE	1	29.93	-	40	Bc	-	-	8	-	-
2000	E	2	29.90	-	33	c	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1570	31	7100
EXPENDED	30	1	50
REMAINING	1540	30	7050

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0726 Time Lighted 1623

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		12	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0726 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Continue work
1600 - Secured for day
1623 - Main light in operation
1638 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert A. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 15 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	E	2	29.80	-	25	C	-	-	8	-	-
0400	E	2	29.71	-	28	O	-	-	8	-	-
0800	SE	2	29.63	-	32	O-R	-	-	8	-	-
1200	SE	2	29.54	-	40	O-R	-	-	8	-	-
1600	SE	2	29.52	-	37	O-R	-	-	8	-	-
2000	E	2	29.50	-	30	O	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1540	30	7050
EXPENDED	20	-	50
REMAINING	1520	30	7000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0726 Time Lighted 1623

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		12	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0700 - Checked all vis. AIN
0726 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill Period, damage control
1345 - Secured drill, Continue work
1600 - Secured for day
1623 - Main light in operation
1638 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Perrin BM
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 16 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNE	2	29.51	–	25	o	–	–	8	–	–
0400	NNW	3	29.54	–	30	c	–	–	8	–	–
0800	WNW	4	29.57	–	38	BC	–	–	8	–	–
1200	WNW	4	29.58	–	41	BC	–	–	8	–	–
1600	WNW	4	29.60	–	37	BC	–	–	8	–	–
2000	WNW	4	29.61	–	31	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1520	30	7000
EXPENDED	20	–	100
REMAINING	1500	30	6900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0725 Time Lighted 1623

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–		
TOTAL FOR MONTH		12	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0726 - Secured main light

0800 - Colors, turn to on field day.

1200 - Chow

1300 - Drill period, ABC drill

1345 - Secured drill, turn to

1600 - Checked all vis. A/N

1623 - Main light in operation

1638 - Sunset, Evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert M. [illegible] BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 17 Jan 1960 LOCATION Newport R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WNW	5	29.63	–	25	Bc	–	–	8	–	–
0400	WNW	5	29.67	–	29	Bc	–	–	8	–	–
0800	WNW	5	29.70	–	34	Bc	–	–	8	–	–
1200	WNW	5	29.73	–	43	Bc	–	–	8	–	–
1600	WNW	5	29.77	–	38	Bc	–	–	8	–	–
2000	NW	4	29.83	–	31	Bc	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1500	30	6900
EXPENDED	30	–	75
REMAINING	1470	30	6825

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0723 Time Lighted 1623

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		12	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis. A/N

0723 - Secured ~~fo~~ main light

0800 - Colors, turn to routine ~~sc~~ clean up

1000 - Observed Sabbath, Holiday routine

1200 - Chow

1623 - Main light in operation

1638 - Sunset, Evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierce BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 18 Jan. 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.90	–	24	BC	–	–	8	–	–
0400	NNW	2	29.96	–	26	C	–	–	8	–	–
0800	NNW	2	30.00	–	32	C	–	–	8	–	–
1200	NNW	2	29.91	–	35	O-S	–	–	8	–	–
1600	NNW	3	29.80	–	31	O-S	–	–	8	–	–
2000	NNW	3	29.70	–	27	O-S	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1470	30	6825
EXPENDED	25	–	25
REMAINING	1445	30	6800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0725 Time Lighted 1623

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
		1	00	
TOTAL FOR DAY				
TOTAL FOR MONTH		12	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0930 TIME STOP 1030

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0725 - Secured main light
0800 - Colors, turn to
0930 - tested fog signal
1030 - Secured fog signal test
1200 - Chow
1300 - Drill Period ABC Drill
1345 - Secured drill, continue work
1600 - Secured for day
1623 - Main light in operation
1638 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Preston BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE tuesday 19 Jan 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	3	29.56	-	20	O	-	-	8	-	-
0400	N	3	29.42	-	23	c	-	-	8	-	-
0800	N	3	29.32	-	33	c	-	-	8	-	-
1200	N	3	29.36	-	37	c	-	-	8	-	-
1600	N	3	29.40	-	34	c	-	-	8	-	-
2000	NW	3	29.42	-	30	c	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1425	30	6800
EXPENDED	25	-	100
REMAINING	1400	30	6700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0725 Time Lighted 1623

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
		1	00	
TOTAL FOR DAY		1	00	
TOTAL FOR MONTH		13	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1000

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis AIN
0400 - Checked all vis AIN
0725 - Secured main light
0800 - Colors, turn to
0900 - tested fog signal
1000 - Secured fog signal test
1200 - Chow, Martel departed on liberty
1300 - Drill period, Fire drill
1345 - Secured drill, continue work
1600 - Secured for day
1623 - Main light in operation
1638 - Sunset Evening colors
2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 20 Jan 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	29.45	-	25	BC	-	-	8	-	-
0400	NW	3	29.48	-	29	BC	-	-	8	-	-
0800	NW	3	29.50	-	37	BC	-	-	8	-	-
1200	NW	3	29.49	-	46	B	-	-	8	-	-
1600	NW	3	29.51	-	44	B	-	-	8	-	-
2000	NW	2	29.54	-	36	BC	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1400	30	6700
EXPENDED	25	-	50
REMAINING	1375	30	6650

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0724 Time Lighted 1627

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		-	-	
TOTAL FOR MONTH		13	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0724 - Secured main light
0800 - Colors turn to
1200 - Chow
1300 - Drill period, damage control
1345 - Secured drill, continue work
1600 - Secured for day
1627 - Main light in operation
1642 - Sunset Evening colors
2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 21 Jan. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	29.59	-	30	snow	-	-	8	-	-
0400	NNW	2	29.64	-	28	snow	-	-	7	-	-
0800	NNW	2	29.67	-	26	snow	-	-	7	-	-
1200	NNW	2	29.69	-	27	O-S	-	-	7	-	-
1600	NNW	2	29.70	-	23	O-S	-	-	7	-	-
2000	NNW	2	29.72	-	20	O-S	-	-	7	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	1375	30	6650
EXPENDED	30		50
REMAINING	1345	30	6600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0715 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		-	-	
TOTAL FOR MONTH		13	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0715 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Continue work, Martel returned to unit
Richardson, SN, departed on liberty
1600 - Secured for day
1630 - Main light in operation
1645 - Sunset, Evening colors
2000 - Checked all vis AIN

CERTIFIED TO BE CORRECT

Robert H. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Sta.

DATE Friday 22 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NNW	2	29.73	–	17	o-s	–	–	7	–	–
0400	NNW	2	29.75	–	20	o	–	–	7	–	–
0800	NNW	2	29.76	–	32	c	–	–	8	–	–
1200	NNW	3	29.78	–	35	c	–	–	8	–	–
1600	NNW	3	29.80	–	30	c	–	–	8	–	–
2000	NNW	3	29.86	–	25	c	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	1345	30	6600
RECEIVED	1400		2400
EXPENDED	25	–	100
REMAINING	2720	30	8900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0721 Time Lighted 1630

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		13	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN
0400 - Checked all vis. AIN
0721 - Secured main light
0800 - Colors, turn to
1200 - Chow
1245 - SPAR, arrived to deliver fuel oil water
1445 - CGC SPAR, departed having delivered 1400 gals fuel oil, and 2400 gals of water.

1500 - Continue work
1600 - Secured for day
1630 - Main light in operation
1645 - Sunset, Evening colors
2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Preian BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 23 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	N	2	29.90	—	19	c	—	—	8	—	—
0400	N	2	29.94	—	20	c	—	—	8	—	—
0800	N	2	30.00	—	31	c	—	—	8	—	—
1200	N	2	30.03	—	32	c	—	—	8	—	—
1600	N	2	30.07	—	29	c	—	—	8	—	—
2000	N	2	30.10	—	27	c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	2720	30	8900
RECEIVED			
EXPENDED	20	—	50
REMAINING	2720	30	8850

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0721 Time Lighted 1632

FOG SIGNAL (Low visibility only) | **RADIOBEACON** (Low visibility and calibration time only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY		—	—		TOTAL FOR DAY								
TOTAL FOR MONTH		13	45		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0721 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Richardson, SN, returned to unit

Pierson, BM2 departed unit

1600 - Secured for day

1632 - Main light in operation

1647 - Sunset, Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Pierson, BM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 24 Jan. 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	N	2	30.06	-	19	C	-	-	8	-	-
0400	N	2	30.02	-	21	BC	-	-	8	-	-
0800	N	2	29.99	-	30	BC	-	-	8	-	-
1200	N	2	29.95	-	34	BC	-	-	8	-	-
1600	N	2	29.90	-	31	BC	-	-	8	-	-
2000	N	2	29.93	-	25	C	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2700	30	8850
EXPENDED	10	-	50
REMAINING	2690	30	8800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0721 Time Lighted 1632

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY		-	-	
TOTAL FOR MONTH		13	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A1N
0400 - Checked all vis. A1N
0721 - Secured main light
0800 - Colors, turn to
1000 - Observed Sabbath
Holiday Routine
1200 - Chow - Pierson, BM2 returned to unit
1632 - Main light in operation
1647 - Sunset, Evening colors
2000 - Checked all vis. A1N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 25 Jan. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	N	2	30.00	–	20	o-s	–	–	7	–	–
0400	N	2	30.09	–	22	o-s	–	–	7	–	–
0800	N	2	30.14	–	29	o-s	–	–	6	–	–
1200	N	2	30.20	–	31	o-s	–	–	6	–	–
1600	N	2	30.22	–	28	o-s	–	–	6	–	–
2000	N	2	30.23	–	23	o-s	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2690	30	8800
EXPENDED	20	–	50
REMAINING	2670	30	8750

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0719 Time Lighted 1635

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
1045	1830	7	45	
TOTAL FOR DAY		7	45	
TOTAL FOR MONTH		21	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all - vis. A/N
0400 - Checked all vis. A/N
0719 - Secured main light
0800 - Colors, turn to
1045 - Fog signal, main light in operation.
1200 - Chow
1300 - Drill period - Fire drill
1345 - Secured drill, continue work
1600 - Secured for day
1635 - Main light in operation
1650 - Sunset, Evening colors
1830 - Secured fog signal
2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 26 Jan. 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	WNW	2	30.18	–	20	c	–	–	7	–	–
0400	WSW	2	30.11	–	27	c	–	–	8	–	–
0800	WSW	2	30.05	–	42	Bc	–	–	8	–	–
1200	WSW	2	30.08	–	40	Bc	–	–	8	–	–
1600	SW	2	30.12	–	38	Bc	–	–	8	–	–
2000	SW	1	30.18	–	36	Bc	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2670	30	8750
EXPENDED	20	–	50
REMAINING	2650	30	8700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0718 Time Lighted 1637

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY		–	–	
TOTAL FOR MONTH		21	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis. A/N
0718 - Secured main light
0800 - Colors, turn to
1200 - Chow
1300 - Drill period - damage control
1345 - Secured drill - continue work
1600 - Secured for day
1637 - Main light in operation
1652 - Sunset, Evening colors
2000 - Checked all vis A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday Jan 27, 1960 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SSE	1	30.22	-	38	BC	-	-	8	-	-
0400	SE	1	30.27	-	39	BC	-	-	8	-	-
0800	SE	1	30-31	-	42	BC	-	-	8	-	-
1200	SE	2	30.34	-	44	BC	-	-	8	-	-
1600	ENE	2	30-30	-	40	C	-	-	8	-	-
2000	N	2	30-27	-	34	C	-	-	7	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2650	30	8700
EXPENDED	20	-	50
REMAINING	2630	30	8650

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0717 Time Lighted 1645

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		21	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0700 - Checked all vis A/N

0717 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Drill period, ABC drill

1345 - Secured drill, continue work

1600 - Secured for day

1645 - Main light in operation

1653 - Sunset, Evening colors

2000 - Checked all vis A/N

CERTIFIED TO BE CORRECT

Robert E. Pinion BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Sta.

DATE Thursday 28 Jan. 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NWN	2	30.23	–	30	O	–	–	7	–	–
0400	W	2	30.17	–	31	O-E	–	–	7	–	–
0800	W	2	30.12	–	38	O-R	–	–	7	–	–
1200	W	2	30.11	–	37	O-R	–	–	7	–	–
1600	W	2	30.10	–	35	BC	–	–	8	–	–
2000	W	3	30.09	–	37	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2630	30	8650
EXPENDED	20	–	50
REMAINING	2610	30	8600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0717 Time Lighted 1640

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY				
TOTAL FOR MONTH		21	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000- Checked all vis. AIN

0400- Checked all vis. AIN

0717- Secured main light

0800- Colors, turn to

1200- Chow

1300- Drill period. Discussion

1500- Secured drill, continue work

1600- Secured for day

1640- Main light in operation

1655- Sunset, Evening colors

2000- Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. Perrins BM2

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545—1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday Jan 29, 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.07	–	39	BC	–	–	8	–	–
0400	NW	2	30.06	–	40	BC	–	–	8	–	–
0800	NW	2	30.09	–	42	BC	–	–	8	–	–
1200	NW	2	30.11	–	45	BC	–	–	8	–	–
1600	NW	3	30.14	–	40	BC	–	–	8	–	–
2000	NW	3	30.17	–	32	C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2610	30	8600
EXPENDED	10	–	50
REMAINING	2600	30	8550

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0715 Time Lighted 1641

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
		1	30	
TOTAL FOR DAY		1	30	
TOTAL FOR MONTH		23	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START 0900 TIME STOP 1030

RADIOBEACON TEST

TIME START TIME STOP

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N
0400 - Checked all vis. A/N
0715 - Secured main light
0800 - Colors - turn to
0900 - tested fog signal
1030 - Secured fog signal test
1200 - Chow
1300 - Drill period, safety instr.
1345 - Secured drill, continue work
1600 - Secured for day
1641 - Main light in operation
1656 - Sunset, Evening colors
2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. [illegible] BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 30 Jan 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.20	—	27	c	—	—	8	—	—
0400	NW	3	30.22	—	28	o	—	—	8	—	—
0800	NW	3	30.25	—	32	o	—	—	8	—	—
1200	NW	2	30.25	—	37	o	—	—	8	—	—
1600	NW	2	30.26	—	34	o	—	—	8	—	—
2000	WSW	2	30.26	—	28	c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	2600	30	8550
RECEIVED			
EXPENDED	20	—	50
REMAINING	2580	30	8500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0714 Time Lighted 1643

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST	RADIOBEACON TEST
TIME START ______ TIME STOP ______	TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. A/N

0400 - Checked all vis A/N

0714 - Secured main light

0800 - Colors, turn to

1200 - Chow

1300 - Continue work

1600 - Secured for day, personnel & clothing inspection

1643 - Main light in operation

1658 - Sunset, Evening colors

2000 - Checked all vis. A/N

CERTIFIED TO BE CORRECT

Robert E. Pierson BM2
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 31 Jan 1960 (Insert day of week, day, month, year) LOCATION Newport, R.I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	2	30.27	—	24	c	—	—	8	—	—
0400	SSE	2	30.27	—	28	c	—	—	8	—	—
0800	SE	3	30.28	—	35	c	—	—	8	—	—
1200	SE	3	30.28	—	38	c	—	—	8	—	—
1600	SE	3	30.29	—	35	c	—	—	8	—	—
2000	SE	3	30.30	—	29	c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
	2580	30	8500
RECEIVED			
EXPENDED	20	—	100
REMAINING	2560	30	8400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0712 Time Lighted 1644

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		23	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all vis. AIN

0400 - Checked all vis. AIN

0713 - Secured main light

0800 - Colors, Routine clean up

Martel, EN3 departed on liberty

1000 - Observed Sabbath

Holiday Routine

1200 - Chow

1644 - Main light in operation

1659 - Sunset Evening colors

2000 - Checked all vis. AIN

CERTIFIED TO BE CORRECT

Robert E. [illegible] BMC

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1